












































The codes below are needed after implementation of the new platelet guidance document; all hospitals need to be ready to accept these codes no later than September 1, 2021.

















**Apheresis Platelet Components**

















Code	Apheresis Platelet Component Description	Bacterial Testing	Expiry	Product Code	Barcode	Barcode Value <sup>1</sup>
E5030	Apheresis PLATELETS ACD-A/XX/20-24C ResLeu:<5E6 Bacterial monitoring	LVDS or 2 <sup>nd</sup> step	7 days	E5030V00		=<E5030V00
E5031	Apheresis PLATELETS ACD-A/XX/20-24C ResLeu:<5E6 1st container Bacterial monitoring	LVDS or 2 <sup>nd</sup> step	7 days	E5031V00		=<E5031V00
E5032	Apheresis PLATELETS ACD-A/XX/20-24C ResLeu:<5E6 2nd container Bacterial monitoring	LVDS or 2 <sup>nd</sup> step	7 days	E5032V00		=<E5032V00
E5033	Apheresis PLATELETS ACD-A/XX/20-24C ResLeu:<5E6 3rd container Bacterial monitoring	LVDS or 2 <sup>nd</sup> step	7 days	E5033V00		=<E5033V00
E5034	Apheresis PLATELETS ACD-A/XX/20-24C Irradiated ResLeu:<5E6 Bacterial monitoring	LVDS or 2 <sup>nd</sup> step	7 days	E5034V00		=<E5034V00
E5035	Apheresis PLATELETS ACD-A/XX/20-24C Irradiated ResLeu:<5E6 1st container Bacterial monitoring	LVDS or 2 <sup>nd</sup> step	7 days	E5035V00		=<E5035V00
E5036	Apheresis PLATELETS ACD-A/XX/20-24C Irradiated ResLeu:<5E6 2nd container Bacterial monitoring	LVDS or 2 <sup>nd</sup> step	7 days	E5036V00		=<E5036V00
E5037	Apheresis PLATELETS ACD-A/XX/20-24C Irradiated ResLeu:<5E6 3rd container Bacterial monitoring	LVDS or 2 <sup>nd</sup> step	7 days	E5037V00		=<E5037V00
E5073	Apheresis PLATELETS ACD-A/XX/20-24C Irradiated ResLeu:<5E6 <3E11 plts Bacterial monitoring	LVDS or 2 <sup>nd</sup> step	7 days	E5073V00		=<E5073V00
E5075	Apheresis PLATELETS ACD-A/XX/20-24C ResLeu:<5E6 <3E11 plts Bacterial monitoring	LVDS or 2 <sup>nd</sup> step	7 days	E5075V00		=<E5075V00
E5370	Apheresis PLATELETS ACD-A/XX/20-24C ResLeu:<5E6 1st container <3E11 plts Bacterial monitoring	LVDS or 2 <sup>nd</sup> step	7 days	E5370V00		=<E5370V00

















<sup>1</sup> V00 is for volunteer units; for directed or autologous units, V00 will appear as D00 and A00 respectively.

















Code	Apheresis Platelet Component Description	Bacterial Testing	Expiry	Product Code	Barcode	Barcode Value <sup>1</sup>
E5371	Apheresis PLATELETS ACD-A/XX/20-24C ResLeu:<5E6 2nd container <3E11 plts Bacterial monitoring	LVDS or 2 <sup>nd</sup> step	7 days	E5371V00		=<E5371V00
E5372	Apheresis PLATELETS ACD-A/XX/20-24C ResLeu:<5E6 3rd container <3E11 plts Bacterial monitoring	LVDS or 2 <sup>nd</sup> step	7 days	E5372V00		=<E5372V00
E5532	Apheresis PLATELETS ACD-A/XX/20-24C Irradiated ResLeu:<5E6 1st container <3E11 plts Bacterial monitoring	LVDS or 2 <sup>nd</sup> step	7 days	E5532V00		=<E5532V00
E5533	Apheresis PLATELETS ACD-A/XX/20-24C Irradiated ResLeu:<5E6 2nd container <3E11 plts Bacterial monitoring	LVDS or 2 <sup>nd</sup> step	7 days	E5533V00		=<E5533V00
E5534	Apheresis PLATELETS ACD-A/XX/20-24C Irradiated ResLeu:<5E6 3rd container <3E11 plts Bacterial monitoring	LVDS or 2 <sup>nd</sup> step	7 days	E5534V00		=<E5534V00
E5709	POOLED PLATELETS CP2D/XX/20-24C Irradiated ResLeu:<5E6 Bacterial monitoring	LVDS or 2 <sup>nd</sup> step	7 days	E5709V00		=<E5709V00
E9930	Apheresis PLATELETS ACD-A/XX/20-24C ResLeu:<5E6 4th container Bacterial monitoring	LVDS or 2 <sup>nd</sup> step	7 days	E9930V00		=<E9930V00
E9931	Apheresis PLATELETS ACD-A/XX/20-24C Irradiated ResLeu:<5E6 4th container Bacterial monitoring	LVDS or 2 <sup>nd</sup> step	7 days	E9931V00		=<E9931V00
E9932	Apheresis PLATELETS ACD-A/XX/20-24C ResLeu:<5E6 4th container <3E11 plts Bacterial monitoring	LVDS or 2 <sup>nd</sup> step	7 days	E9932V00		=<E9932V00
E9933	Apheresis PLATELETS ACD-A/XX/20-24C Irradiated ResLeu:<5E6 4th container <3E11 plts Bacterial monitoring	LVDS or 2 <sup>nd</sup> step	7 days	E9933V00		=<E9933V00
EA048	Apheresis PLATELETS ACD-A>PAS-F/XX/20-24C ResLeu:<5E6 Bacterial monitoring	LVDS or 2 <sup>nd</sup> step	7 days	EA048V00		=<EA048V00
EA049	Apheresis PLATELETS ACD-A>PAS-F/XX/20-24C ResLeu:<5E6 1st container Bacterial monitoring	LVDS or 2 <sup>nd</sup> step	7 days	EA049V00		=<EA049V00
EA050	Apheresis PLATELETS ACD-A>PAS-F/XX/20-24C ResLeu:<5E6 2nd container Bacterial monitoring	LVDS or 2 <sup>nd</sup> step	7 days	EA050V00		=<EA050V00
EA051	Apheresis PLATELETS ACD-A>PAS-F/XX/20-24C ResLeu:<5E6 3rd container Bacterial monitoring	LVDS or 2 <sup>nd</sup> step	7 days	EA051V00		=<EA051V00
EA052	Apheresis PLATELETS ACD-A>PAS-F/XX/20-24C ResLeu:<5E6 <3E11 plts Bacterial monitoring	LVDS or 2 <sup>nd</sup> step	7 days	EA052V00		=<EA052V00
EA053	Apheresis PLATELETS ACD-A>PAS-F/XX/20-24C ResLeu:<5E6 1st container <3E11 plts Bacterial monitoring	LVDS or 2 <sup>nd</sup> step	7 days	EA053V00		=<EA053V00

















Code	Apheresis Platelet Component Description	Bacterial Testing	Expiry	Product Code	Barcode	Barcode Value <sup>1</sup>
EA054	Apheresis PLATELETS ACD-A>PAS-F/XX/20-24C ResLeu:<5E6 2nd container <3E11 plts Bacterial monitoring	LVDS or 2 <sup>nd</sup> step	7 days	EA054V00		=<EA054V00
EA055	Apheresis PLATELETS ACD-A>PAS-F/XX/20-24C ResLeu:<5E6 3rd container <3E11 plts Bacterial monitoring	LVDS or 2 <sup>nd</sup> step	7 days	EA055V00		=<EA055V00
EA056	Apheresis PLATELETS ACD-A>PAS-F/XX/20-24C Irradiated ResLeu:<5E6 Bacterial monitoring	LVDS or 2 <sup>nd</sup> step	7 days	EA056V00		=<EA056V00
EA057	Apheresis PLATELETS ACD-A>PAS-F/XX/20-24C Irradiated ResLeu:<5E6 1st container Bacterial monitoring	LVDS or 2 <sup>nd</sup> step	7 days	EA057V00		=<EA057V00
EA058	Apheresis PLATELETS ACD-A>PAS-F/XX/20-24C Irradiated ResLeu:<5E6 2nd container Bacterial monitoring	LVDS or 2 <sup>nd</sup> step	7 days	EA058V00		=<EA058V00
EA059	Apheresis PLATELETS ACD-A>PAS-F/XX/20-24C Irradiated ResLeu:<5E6 3rd container Bacterial monitoring	LVDS or 2 <sup>nd</sup> step	7 days	EA059V00		=<EA059V00
EA060	Apheresis PLATELETS ACD-A>PAS-F/XX/20-24C Irradiated ResLeu:<5E6 <3E11 plts Bacterial monitoring	LVDS or 2 <sup>nd</sup> step	7 days	EA060V00		=<EA060V00
EA061	Apheresis PLATELETS ACD-A>PAS-F/XX/20-24C Irradiated ResLeu:<5E6 1st container <3E11 plts Bacterial monitoring	LVDS or 2 <sup>nd</sup> step	7 days	EA061V00		=<EA061V00
EA062	Apheresis PLATELETS ACD-A>PAS-F/XX/20-24C Irradiated ResLeu:<5E6 2nd container <3E11 plts Bacterial monitoring	LVDS or 2 <sup>nd</sup> step	7 days	EA062V00		=<EA062V00
EA063	Apheresis PLATELETS ACD-A>PAS-F/XX/20-24C Irradiated ResLeu:<5E6 3rd container <3E11 plts Bacterial monitoring	LVDS or 2 <sup>nd</sup> step	7 days	EA063V00		=<EA063V00
E9966	Apheresis PLATELETS ACD-A/XX/20-24C ResLeu:<5E6 Bacterial monitoring >=24h	Second step required	5 days	E9966V00		=<E9966V00
E9967	Apheresis PLATELETS ACD-A/XX/20-24C ResLeu:<5E6 1st container Bacterial monitoring >=24h	Second step required	5 days	E9967V00		=<E9967V00
E9968	Apheresis PLATELETS ACD-A/XX/20-24C ResLeu:<5E6 2nd container Bacterial monitoring >=24h	Second step required	5 days	E9968V00		=<E9968V00
E9969	Apheresis PLATELETS ACD-A/XX/20-24C ResLeu:<5E6 3rd container Bacterial monitoring >=24h	Second step required	5 days	E9969V00		=<E9969V00
E9970	Apheresis PLATELETS ACD-A/XX/20-24C ResLeu:<5E6 <3E11 plts Bacterial monitoring >=24h	Second step required	5 days	E9970V00		=<E9970V00
E9971	Apheresis PLATELETS ACD-A/XX/20-24C ResLeu:<5E6 1st container <3E11 plts Bacterial monitoring >=24h	Second step required	5 days	E9971V00		=<E9971V00

Code	Apheresis Platelet Component Description	Bacterial Testing	Expiry	Product Code	Barcode	Barcode Value <sup>1</sup>
E9972	Apheresis PLATELETS ACD-A/XX/20-24C ResLeu:<5E6 2nd container <3E11 plts Bacterial monitoring >=24h	Second step required	5 days	E9972V00		=<E9972V00
E9973	Apheresis PLATELETS ACD-A/XX/20-24C ResLeu:<5E6 3rd container <3E11 plts Bacterial monitoring >=24h	Second step required	5 days	E9973V00		=<E9973V00
E9974	Apheresis PLATELETS ACD-A/XX/20-24C Irradiated ResLeu:<5E6 Bacterial monitoring >=24h	Second step required	5 days	E9974V00		=<E9974V00
E9975	Apheresis PLATELETS ACD-A/XX/20-24C Irradiated ResLeu:<5E6 1st container Bacterial monitoring >=24h	Second step required	5 days	E9975V00		=<E9975V00
E9976	Apheresis PLATELETS ACD-A/XX/20-24C Irradiated ResLeu:<5E6 2nd container Bacterial monitoring >=24h	Second step required	5 days	E9976V00		=<E9976V00
E9977	Apheresis PLATELETS ACD-A/XX/20-24C Irradiated ResLeu:<5E6 3rd container Bacterial monitoring >=24h	Second step required	5 days	E9977V00		=<E9977V00
E9978	Apheresis PLATELETS ACD-A/XX/20-24C Irradiated ResLeu:<5E6 <3E11 plts Bacterial monitoring >=24h	Second step required	5 days	E9978V00		=<E9978V00
E9979	Apheresis PLATELETS ACD-A/XX/20-24C Irradiated ResLeu:<5E6 1st container <3E11 plts Bacterial monitoring >=24h	Second step required	5 days	E9979V00		=<E9979V00
E9980	Apheresis PLATELETS ACD-A/XX/20-24C Irradiated ResLeu:<5E6 2nd container <3E11 plts Bacterial monitoring >=24h	Second step required	5 days	E9980V00		=<E9980V00
E9981	Apheresis PLATELETS ACD-A/XX/20-24C Irradiated ResLeu:<5E6 3rd container <3E11 plts Bacterial monitoring >=24h	Second step required	5 days	E9981V00		=<E9981V00
E9982	Apheresis PLATELETS ACD-A>PAS-F/XX/20-24C ResLeu:<5E6 Bacterial monitoring >=24h	Second step required	5 days	E9982V00		=<E9982V00
E9983	Apheresis PLATELETS ACD-A>PAS-F/XX/20-24C ResLeu:<5E6 1st container Bacterial monitoring >=24h	Second step required	5 days	E9983V00		=<E9983V00
E9984	Apheresis PLATELETS ACD-A>PAS-F/XX/20-24C ResLeu:<5E6 2nd container Bacterial monitoring >=24h	Second step required	5 days	E9984V00		=<E9984V00
E9985	Apheresis PLATELETS ACD-A>PAS-F/XX/20-24C ResLeu:<5E6 3rd container Bacterial monitoring >=24h	Second step required	5 days	E9985V00		=<E9985V00
E9986	Apheresis PLATELETS ACD-A>PAS-F/XX/20-24C ResLeu:<5E6 <3E11 plts Bacterial monitoring >=24h	Second step required	5 days	E9986V00		=<E9986V00
E9987	Apheresis PLATELETS ACD-A>PAS-F/XX/20-24C ResLeu:<5E6 1st container <3E11 plts Bacterial monitoring >=24h	Second step required	5 days	E9987V00		=<E9987V00

















Code	Apheresis Platelet Component Description	Bacterial Testing	Expiry	Product Code	Barcode	Barcode Value <sup>1</sup>
E9988	Apheresis PLATELETS   ACD-A>PAS-F/XX/20-24C   ResLeu:<5E6   2nd container   <3E11 plts   Bacterial monitoring >=24h	Second step required	5 days	E9988V00		=<E9988V00
E9989	Apheresis PLATELETS   ACD-A>PAS-F/XX/20-24C   ResLeu:<5E6   3rd container   <3E11 plts   Bacterial monitoring >=24h	Second step required	5 days	E9989V00		=<E9989V00
E9990	Apheresis PLATELETS   ACD-A>PAS-F/XX/20-24C   Irradiated   ResLeu:<5E6   Bacterial monitoring >=24h	Second step required	5 days	E9990V00		=<E9990V00
E9991	Apheresis PLATELETS   ACD-A>PAS-F/XX/20-24C   Irradiated   ResLeu:<5E6   1st container   Bacterial monitoring >=24h	Second step required	5 days	E9991V00		=<E9991V00
E9992	Apheresis PLATELETS   ACD-A>PAS-F/XX/20-24C   Irradiated   ResLeu:<5E6   2nd container   Bacterial monitoring >=24h	Second step required	5 days	E9992V00		=<E9992V00
E9993	Apheresis PLATELETS   ACD-A>PAS-F/XX/20-24C   Irradiated   ResLeu:<5E6   3rd container   Bacterial monitoring >=24h	Second step required	5 days	E9993V00		=<E9993V00
E9994	Apheresis PLATELETS   ACD-A>PAS-F/XX/20-24C   Irradiated   ResLeu:<5E6   <3E11 plts   Bacterial monitoring >=24h	Second step required	5 days	E9994V00		=<E9994V00
E9995	Apheresis PLATELETS   ACD-A>PAS-F/XX/20-24C   Irradiated   ResLeu:<5E6   1st container   <3E11 plts   Bacterial monitoring >=24h	Second step required	5 days	E9995V00		=<E9995V00
E9996	Apheresis PLATELETS   ACD-A>PAS-F/XX/20-24C   Irradiated   ResLeu:<5E6   2nd container   <3E11 plts   Bacterial monitoring >=24h	Second step required	5 days	E9996V00		=<E9996V00
E9997	Apheresis PLATELETS   ACD-A>PAS-F/XX/20-24C   Irradiated   ResLeu:<5E6   3rd container   <3E11 plts   Bacterial monitoring >=24h	Second step required	5 days	E9997V00		=<E9997V00
EA000	PLATELETS   CPD/450mL/20-24C   ResLeu:<5E6   Bacterial monitoring >=24h	Second step required	5 days	EA000V00		=<EA000V00
EA001	PLATELETS   CPD/500mL/20-24C   ResLeu:<5E6   Bacterial monitoring >=24h	Second step required	5 days	EA001V00		=<EA001V00
EA002	PLATELETS   CP2D/450mL/20-24C   ResLeu:<5E6   Bacterial monitoring >=24h	Second step required	5 days	EA002V00		=<EA002V00
EA003	PLATELETS   CP2D/500mL/20-24C   ResLeu:<5E6   Bacterial monitoring >=24h	Second step required	5 days	EA003V00		=<EA003V00
EA088	Apheresis PLATELETS   ACD-A>PAS-C/XX/20-24C   ResLeu:<5E6   Bacterial monitoring >=24h	Second step required	5 days	EA088V00		=<EA088V00
EA089	Apheresis PLATELETS   ACD-A>PAS-C/XX/20-24C   ResLeu:<5E6   1st container   Bacterial monitoring >=24h	Second step required	5 days	EA089V00		=<EA089V00

















Code	Apheresis Platelet Component Description	Bacterial Testing	Expiry	Product Code	Barcode	Barcode Value <sup>1</sup>
EA090	Apheresis PLATELETS ACD-A>PAS-C/XX/20-24C ResLeu:<5E6 2nd container Bacterial monitoring >=24h	Second step required	5 days	EA090V00		=<EA090V00
EA091	Apheresis PLATELETS ACD-A>PAS-C/XX/20-24C ResLeu:<5E6 3rd container Bacterial monitoring >=24h	Second step required	5 days	EA091V00		=<EA091V00
EA092	Apheresis PLATELETS ACD-A>PAS-C/XX/20-24C ResLeu:<5E6 <3E11 plts Bacterial monitoring >=24h	Second step required	5 days	EA092V00		=<EA092V00
EA093	Apheresis PLATELETS ACD-A>PAS-C/XX/20-24C ResLeu:<5E6 1st container <3E11 plts Bacterial monitoring >=24h	Second step required	5 days	EA093V00		=<EA093V00
EA094	Apheresis PLATELETS ACD-A>PAS-C/XX/20-24C ResLeu:<5E6 2nd container <3E11 plts Bacterial monitoring >=24h	Second step required	5 days	EA094V00		=<EA094V00
EA095	Apheresis PLATELETS ACD-A>PAS-C/XX/20-24C ResLeu:<5E6 3rd container <3E11 plts Bacterial monitoring >=24h	Second step required	5 days	EA095V00		=<EA095V00
EA104	Apheresis PLATELETS ACD-A>PAS-C/XX/20-24C Irradiated ResLeu:<5E6 Bacterial monitoring >=24h	Second step required	5 days	EA104V00		=<EA104V00
EA105	Apheresis PLATELETS ACD-A>PAS-C/XX/20-24C Irradiated ResLeu:<5E6 1st container Bacterial monitoring >=24h	Second step required	5 days	EA105V00		=<EA105V00
EA106	Apheresis PLATELETS ACD-A>PAS-C/XX/20-24C Irradiated ResLeu:<5E6 2nd container Bacterial monitoring >=24h	Second step required	5 days	EA106V00		=<EA106V00
EA107	Apheresis PLATELETS ACD-A>PAS-C/XX/20-24C Irradiated ResLeu:<5E6 3rd container Bacterial monitoring >=24h	Second step required	5 days	EA107V00		=<EA107V00
EA108	Apheresis PLATELETS ACD-A>PAS-C/XX/20-24C Irradiated ResLeu:<5E6 <3E11 plts Bacterial monitoring >=24h	Second step required	5 days	EA108V00		=<EA108V00
EA109	Apheresis PLATELETS ACD-A>PAS-C/XX/20-24C Irradiated ResLeu:<5E6 1st container <3E11 plts Bacterial monitoring >=24h	Second step required	5 days	EA109V00		=<EA109V00
EA110	Apheresis PLATELETS ACD-A>PAS-C/XX/20-24C Irradiated ResLeu:<5E6 2nd container <3E11 plts Bacterial monitoring >=24h	Second step required	5 days	EA110V00		=<EA110V00
EA111	Apheresis PLATELETS ACD-A>PAS-C/XX/20-24C Irradiated ResLeu:<5E6 3rd container <3E11 plts Bacterial monitoring >=24h	Second step required	5 days	EA111V00		=<EA111V00
EA007	Apheresis PLATELETS ACD-A/XX/20-24C ResLeu:<5E6 Bacterial monitoring >=36h	LVDS	5 days	EA007V00		=<EA007V00
EA008	Apheresis PLATELETS ACD-A/XX/20-24C ResLeu:<5E6 1st container Bacterial monitoring >=36h	LVDS	5 days	EA008V00		=<EA008V00

















Code	Apheresis Platelet Component Description	Bacterial Testing	Expiry	Product Code	Barcode	Barcode Value <sup>1</sup>
EA009	Apheresis PLATELETS ACD-A/XX/20-24C ResLeu:<5E6 2nd container Bacterial monitoring >=36h	LVDS	5 days	EA009V00		=<EA009V00
EA010	Apheresis PLATELETS ACD-A/XX/20-24C ResLeu:<5E6 3rd container Bacterial monitoring >=36h	LVDS	5 days	EA010V00		=<EA010V00
EA011	Apheresis PLATELETS ACD-A/XX/20-24C ResLeu:<5E6 <3E11 plts Bacterial monitoring >=36h	LVDS	5 days	EA011V00		=<EA011V00
EA012	Apheresis PLATELETS ACD-A/XX/20-24C ResLeu:<5E6 1st container <3E11 plts Bacterial monitoring >=36h	LVDS	5 days	EA012V00		=<EA012V00
EA013	Apheresis PLATELETS ACD-A/XX/20-24C ResLeu:<5E6 2nd container <3E11 plts Bacterial monitoring >=36h	LVDS	5 days	EA013V00		=<EA013V00
EA014	Apheresis PLATELETS ACD-A/XX/20-24C ResLeu:<5E6 3rd container <3E11 plts Bacterial monitoring >=36h	LVDS	5 days	EA014V00		=<EA014V00
EA015	Apheresis PLATELETS ACD-A/XX/20-24C Irradiated ResLeu:<5E6 Bacterial monitoring >=36h	LVDS	5 days	EA015V00		=<EA015V00
EA016	Apheresis PLATELETS ACD-A/XX/20-24C Irradiated ResLeu:<5E6 1st container Bacterial monitoring >=36h	LVDS	5 days	EA016V00		=<EA016V00
EA017	Apheresis PLATELETS ACD-A/XX/20-24C Irradiated ResLeu:<5E6 2nd container Bacterial monitoring >=36h	LVDS	5 days	EA017V00		=<EA017V00
EA018	Apheresis PLATELETS ACD-A/XX/20-24C Irradiated ResLeu:<5E6 3rd container Bacterial monitoring >=36h	LVDS	5 days	EA018V00		=<EA018V00
EA019	Apheresis PLATELETS ACD-A/XX/20-24C Irradiated ResLeu:<5E6 <3E11 plts Bacterial monitoring >=36h	LVDS	5 days	EA019V00		=<EA019V00
EA020	Apheresis PLATELETS ACD-A/XX/20-24C Irradiated ResLeu:<5E6 1st container <3E11 plts Bacterial monitoring >=36h	LVDS	5 days	EA020V00		=<EA020V00
EA021	Apheresis PLATELETS ACD-A/XX/20-24C Irradiated ResLeu:<5E6 2nd container <3E11 plts Bacterial monitoring >=36h	LVDS	5 days	EA021V00		=<EA021V00
EA022	Apheresis PLATELETS ACD-A/XX/20-24C Irradiated ResLeu:<5E6 3rd container <3E11 plts Bacterial monitoring >=36h	LVDS	5 days	EA022V00		=<EA022V00
EA023	Apheresis PLATELETS ACD-A>PAS-F/XX/20-24C ResLeu:<5E6 Bacterial monitoring >=36h	LVDS	5 days	EA023V00		=<EA023V00
EA024	Apheresis PLATELETS ACD-A>PAS-F/XX/20-24C ResLeu:<5E6 1st container Bacterial monitoring >=36h	LVDS	5 days	EA024V00		=<EA024V00











Code	Apheresis Platelet Component Description	Bacterial Testing	Expiry	Product Code	Barcode	Barcode Value <sup>1</sup>
EA025	Apheresis PLATELETS ACD-A>PAS-F/XX/20-24C ResLeu:<5E6 2nd container Bacterial monitoring >=36h	LVDS	5 days	EA025V00		=<EA025V00
EA026	Apheresis PLATELETS ACD-A>PAS-F/XX/20-24C ResLeu:<5E6 3rd container Bacterial monitoring >=36h	LVDS	5 days	EA026V00		=<EA026V00
EA027	Apheresis PLATELETS ACD-A>PAS-F/XX/20-24C ResLeu:<5E6 <3E11 plts Bacterial monitoring >=36h	LVDS	5 days	EA027V00		=<EA027V00
EA028	Apheresis PLATELETS ACD-A>PAS-F/XX/20-24C ResLeu:<5E6 1st container <3E11 plts Bacterial monitoring >=36h	LVDS	5 days	EA028V00		=<EA028V00
EA029	Apheresis PLATELETS ACD-A>PAS-F/XX/20-24C ResLeu:<5E6 2nd container <3E11 plts Bacterial monitoring >=36h	LVDS	5 days	EA029V00		=<EA029V00
EA030	Apheresis PLATELETS ACD-A>PAS-F/XX/20-24C ResLeu:<5E6 3rd container <3E11 plts Bacterial monitoring >=36h	LVDS	5 days	EA030V00		=<EA030V00
EA031	Apheresis PLATELETS ACD-A>PAS-F/XX/20-24C Irradiated ResLeu:<5E6 Bacterial monitoring >=36h	LVDS	5 days	EA031V00		=<EA031V00
EA032	Apheresis PLATELETS ACD-A>PAS-F/XX/20-24C Irradiated ResLeu:<5E6 1st container Bacterial monitoring >=36h	LVDS	5 days	EA032V00		=<EA032V00
EA033	Apheresis PLATELETS ACD-A>PAS-F/XX/20-24C Irradiated ResLeu:<5E6 2nd container Bacterial monitoring >=36h	LVDS	5 days	EA033V00		=<EA033V00
EA034	Apheresis PLATELETS ACD-A>PAS-F/XX/20-24C Irradiated ResLeu:<5E6 3rd container Bacterial monitoring >=36h	LVDS	5 days	EA034V00		=<EA034V00
EA035	Apheresis PLATELETS ACD-A>PAS-F/XX/20-24C Irradiated ResLeu:<5E6 <3E11 plts Bacterial monitoring >=36h	LVDS	5 days	EA035V00		=<EA035V00
EA036	Apheresis PLATELETS ACD-A>PAS-F/XX/20-24C Irradiated ResLeu:<5E6 1st container <3E11 plts Bacterial monitoring >=36h	LVDS	5 days	EA036V00		=<EA036V00
EA037	Apheresis PLATELETS ACD-A>PAS-F/XX/20-24C Irradiated ResLeu:<5E6 2nd container <3E11 plts Bacterial monitoring >=36h	LVDS	5 days	EA037V00		=<EA037V00
EA038	Apheresis PLATELETS ACD-A>PAS-F/XX/20-24C Irradiated ResLeu:<5E6 3rd container <3E11 plts Bacterial monitoring >=36h	LVDS	5 days	EA038V00		=<EA038V00
EA041	PLATELETS CPD/450mL/20-24C ResLeu:<5E6 Bacterial monitoring >=36h	LVDS	5 days	EA041V00		=<EA041V00
EA042	PLATELETS CPD/500mL/20-24C ResLeu:<5E6 Bacterial monitoring >=36h	LVDS	5 days	EA042V00		=<EA042V00


















Code	Apheresis Platelet Component Description	Bacterial Testing	Expiry	Product Code	Barcode	Barcode Value <sup>1</sup>
EA043	PLATELETS CP2D/450mL/20-24C ResLeu:<5E6 Bacterial monitoring >=36h	LVDS	5 days	EA043V00		=<EA043V00
EA044	PLATELETS CP2D/500mL/20-24C ResLeu:<5E6 Bacterial monitoring >=36h	LVDS	5 days	EA044V00		=<EA044V00
EA136	Apheresis PLATELETS ACD-A>PAS-C/XX/20-24C ResLeu:<5E6 Bacterial monitoring >=36h	LVDS	5 days	EA136V00		=<EA136V00
EA137	Apheresis PLATELETS ACD-A>PAS-C/XX/20-24C ResLeu:<5E6 1st container Bacterial monitoring >=36h	LVDS	5 days	EA137V00		=<EA137V00
EA138	Apheresis PLATELETS ACD-A>PAS-C/XX/20-24C ResLeu:<5E6 2nd container Bacterial monitoring >=36h	LVDS	5 days	EA138V00		=<EA138V00
EA139	Apheresis PLATELETS ACD-A>PAS-C/XX/20-24C ResLeu:<5E6 3rd container Bacterial monitoring >=36h	LVDS	5 days	EA139V00		=<EA139V00
EA140	Apheresis PLATELETS ACD-A>PAS-C/XX/20-24C ResLeu:<5E6 <3E11 plts Bacterial monitoring >=36h	LVDS	5 days	EA140V00		=<EA140V00
EA141	Apheresis PLATELETS ACD-A>PAS-C/XX/20-24C ResLeu:<5E6 1st container <3E11 plts Bacterial monitoring >=36h	LVDS	5 days	EA141V00		=<EA141V00
EA142	Apheresis PLATELETS ACD-A>PAS-C/XX/20-24C ResLeu:<5E6 2nd container <3E11 plts Bacterial monitoring >=36h	LVDS	5 days	EA142V00		=<EA142V00
EA143	Apheresis PLATELETS ACD-A>PAS-C/XX/20-24C ResLeu:<5E6 3rd container <3E11 plts Bacterial monitoring >=36h	LVDS	5 days	EA143V00		=<EA143V00
EA152	Apheresis PLATELETS ACD-A>PAS-C/XX/20-24C Irradiated ResLeu:<5E6 Bacterial monitoring >=36h	LVDS	5 days	EA152V00		=<EA152V00
EA153	Apheresis PLATELETS ACD-A>PAS-C/XX/20-24C Irradiated ResLeu:<5E6 1st container Bacterial monitoring >=36h	LVDS	5 days	EA153V00		=<EA153V00
EA154	Apheresis PLATELETS ACD-A>PAS-C/XX/20-24C Irradiated ResLeu:<5E6 2nd container Bacterial monitoring >=36h	LVDS	5 days	EA154V00		=<EA154V00
EA155	Apheresis PLATELETS ACD-A>PAS-C/XX/20-24C Irradiated ResLeu:<5E6 3rd container Bacterial monitoring >=36h	LVDS	5 days	EA155V00		=<EA155V00
EA156	Apheresis PLATELETS ACD-A>PAS-C/XX/20-24C Irradiated ResLeu:<5E6 <3E11 plts Bacterial monitoring >=36h	LVDS	5 days	EA156V00		=<EA156V00
EA157	Apheresis PLATELETS ACD-A>PAS-C/XX/20-24C Irradiated ResLeu:<5E6 1st container <3E11 plts Bacterial monitoring >=36h	LVDS	5 days	EA157V00		=<EA157V00

















Code	Apheresis Platelet Component Description	Bacterial Testing	Expiry	Product Code	Barcode	Barcode Value <sup>1</sup>
EA158	Apheresis PLATELETS   ACD-A>PAS-C/XX/20-24C   Irradiated   ResLeu:<5E6   2nd container   <3E11 plts   Bacterial monitoring >=36h	LVDS	5 days	EA158V00		=<EA158V00
EA159	Apheresis PLATELETS   ACD-A>PAS-C/XX/20-24C   Irradiated   ResLeu:<5E6   3rd container   <3E11 plts   Bacterial monitoring >=36h	LVDS	5 days	EA159V00		=<EA159V00
E9670	Apheresis PLATELETS   ACD-A/XX/20-24C   ResLeu:<5E6   Bacterial test D4	2nd step	24 hours from Verax test	E9670V00		=<E9670V00
E9671	Apheresis PLATELETS   ACD-A/XX/20-24C   ResLeu:<5E6   1st container   Bacterial test D4	2nd step	24 hours from Verax test	E9671V00		=<E9671V00
E9672	Apheresis PLATELETS   ACD-A/XX/20-24C   ResLeu:<5E6   2nd container   Bacterial test D4	2nd step	24 hours from Verax test	E9672V00		=<E9672V00
E9673	Apheresis PLATELETS   ACD-A/XX/20-24C   ResLeu:<5E6   3rd container   Bacterial test D4	2nd step	24 hours from Verax test	E9673V00		=<E9673V00
E9674	Apheresis PLATELETS   ACD-A/XX/20-24C   Irradiated   ResLeu:<5E6   Bacterial test D4	2nd step	24 hours from Verax test	E9674V00		=<E9674V00
E9675	Apheresis PLATELETS   ACD-A/XX/20-24C   Irradiated   ResLeu:<5E6   1st container   Bacterial test D4	2nd step	24 hours from Verax test	E9675V00		=<E9675V00
E9676	Apheresis PLATELETS   ACD-A/XX/20-24C   Irradiated   ResLeu:<5E6   2nd container   Bacterial test D4	2nd step	24 hours from Verax test	E9676V00		=<E9676V00
E9677	Apheresis PLATELETS   ACD-A/XX/20-24C   Irradiated   ResLeu:<5E6   3rd container   Bacterial test D4	2nd step	24 hours from Verax test	E9677V00		=<E9677V00
E9678	Apheresis PLATELETS   ACD-A/XX/20-24C   ResLeu:<5E6   <3E11 plts   Bacterial test D4	2nd step	24 hours from Verax test	E9678V00		=<E9678V00
E9679	Apheresis PLATELETS   ACD-A/XX/20-24C   Irradiated   ResLeu:<5E6   <3E11 plts   Bacterial test D4	2nd step	24 hours from Verax test	E9679V00		=<E9679V00
E9620	Apheresis PLATELETS   ACD-A/XX/20-24C   Irradiated   ResLeu:<5E6   <3E11 plts   Bacterial test D5	2nd step	24 hours from Verax test	E9620V00		=<E9620V00
E9252	Apheresis PLATELETS   ACD-A/XX/20-24C   Irradiated   ResLeu:<5E6   Bacterial test D5	2nd step	24 hours from Verax test	E9252V00		=<E9252V00
E9253	Apheresis PLATELETS   ACD-A/XX/20-24C   Irradiated   ResLeu:<5E6   1st container   Bacterial test D5	2nd step	24 hours from Verax test	E9253V00		=<E9253V00
E9254	Apheresis PLATELETS   ACD-A/XX/20-24C   Irradiated   ResLeu:<5E6   2nd container   Bacterial test D5	2nd step	24 hours from Verax test	E9254V00		=<E9254V00

Code	Apheresis Platelet Component Description	Bacterial Testing	Expiry	Product Code	Barcode	Barcode Value <sup>1</sup>
E9255	Apheresis PLATELETS   ACD-A/XX/20-24C   Irradiated   ResLeu:<5E6   3rd container   Bacterial test D5	2nd step	24 hours from Verax test	E9255V00		=<E9255V00
E9617	Apheresis PLATELETS   ACD-A/XX/20-24C   ResLeu:<5E6   <3E11 plts   Bacterial test D5	2nd step	24 hours from Verax test	E9617V00		=<E9617V00
E9228	Apheresis PLATELETS   ACD-A/XX/20-24C   ResLeu:<5E6   Bacterial test D5	2nd step	24 hours from Verax test	E9228V00		=<E9228V00
E9229	Apheresis PLATELETS   ACD-A/XX/20-24C   ResLeu:<5E6   1st container   Bacterial test D5	2nd step	24 hours from Verax test	E9229V00		=<E9229V00
E9230	Apheresis PLATELETS   ACD-A/XX/20-24C   ResLeu:<5E6   2nd container   Bacterial test D5	2nd step	24 hours from Verax test	E9230V00		=<E9230V00
E9231	Apheresis PLATELETS   ACD-A/XX/20-24C   ResLeu:<5E6   3rd container   Bacterial test D5	2nd step	24 hours from Verax test	E9231V00		=<E9231V00
E9232	Apheresis PLATELETS   ACD-A/XX/20-24C   ResLeu:<5E6   Bacterial test D6	2nd step	24 hours from Verax test	E9232V00		=<E9232V00
E9233	Apheresis PLATELETS   ACD-A/XX/20-24C   ResLeu:<5E6   1st container   Bacterial test D6	2nd step	24 hours from Verax test	E9233V00		=<E9233V00
E9234	Apheresis PLATELETS   ACD-A/XX/20-24C   ResLeu:<5E6   2nd container   Bacterial test D6	2nd step	24 hours from Verax test	E9234V00		=<E9234V00
E9235	Apheresis PLATELETS   ACD-A/XX/20-24C   ResLeu:<5E6   3rd container   Bacterial test D6	2nd step	24 hours from Verax test	E9235V00		=<E9235V00
E9256	Apheresis PLATELETS   ACD-A/XX/20-24C   Irradiated   ResLeu:<5E6   Bacterial test D6	2nd step	24 hours from Verax test	E9256V00		=<E9256V00
E9257	Apheresis PLATELETS   ACD-A/XX/20-24C   Irradiated   ResLeu:<5E6   1st container   Bacterial test D6	2nd step	24 hours from Verax test	E9257V00		=<E9257V00
E9258	Apheresis PLATELETS   ACD-A/XX/20-24C   Irradiated   ResLeu:<5E6   2nd container   Bacterial test D6	2nd step	24 hours from Verax test	E9258V00		=<E9258V00
E9259	Apheresis PLATELETS   ACD-A/XX/20-24C   Irradiated   ResLeu:<5E6   3rd container   Bacterial test D6	2nd step	24 hours from Verax test	E9259V00		=<E9259V00
E9618	Apheresis PLATELETS   ACD-A/XX/20-24C   ResLeu:<5E6   <3E11 plts   Bacterial test D6	2nd step	24 hours from Verax test	E9618V00		=<E9618V00
E9621	Apheresis PLATELETS   ACD-A/XX/20-24C   Irradiated   ResLeu:<5E6   <3E11 plts   Bacterial test D6	2nd step	24 hours from Verax test	E9621V00		=<E9621V00




Code	Apheresis Platelet Component Description	Bacterial Testing	Expiry	Product Code	Barcode	Barcode Value <sup>1</sup>
E9236	Apheresis PLATELETS ACD-A/XX/20-24C ResLeu:<5E6 Bacterial test D7	2nd step	End of day 7	E9236V00		=<E9236V00
E9237	Apheresis PLATELETS ACD-A/XX/20-24C ResLeu:<5E6 1st container Bacterial test D7	2nd step	End of day 7	E9237V00		=<E9237V00
E9238	Apheresis PLATELETS ACD-A/XX/20-24C ResLeu:<5E6 2nd container Bacterial test D7	2nd step	End of day 7	E9238V00		=<E9238V00
E9239	Apheresis PLATELETS ACD-A/XX/20-24C ResLeu:<5E6 3rd container Bacterial test D7	2nd step	End of day 7	E9239V00		=<E9239V00
E9260	Apheresis PLATELETS ACD-A/XX/20-24C Irradiated ResLeu:<5E6 Bacterial test D7	2nd step	End of day 7	E9260V00		=<E9260V00
E9261	Apheresis PLATELETS ACD-A/XX/20-24C Irradiated ResLeu:<5E6 1st container Bacterial test D7	2nd step	End of day 7	E9261V00		=<E9261V00
E9262	Apheresis PLATELETS ACD-A/XX/20-24C Irradiated ResLeu:<5E6 2nd container Bacterial test D7	2nd step	End of day 7	E9262V00		=<E9262V00
E9263	Apheresis PLATELETS ACD-A/XX/20-24C Irradiated ResLeu:<5E6 3rd container Bacterial test D7	2nd step	End of day 7	E9263V00		=<E9263V00
E9619	Apheresis PLATELETS ACD-A/XX/20-24C ResLeu:<5E6 <3E11 plts Bacterial test D7	2nd step	End of day 7	E9619V00		=<E9619V00
E9622	Apheresis PLATELETS ACD-A/XX/20-24C Irradiated ResLeu:<5E6 <3E11 plts Bacterial test D7	2nd step	End of day 7	E9622V00		=<E9622V00

## Pathogen-Reduced Platelet Components

Code	Pathogen-Reduced Platelet Component Description	Bacterial Testing	Expiry	Product Code	Barcode	Barcode Value
E8331	Apheresis PLATELETS  ACD-A/XX/20-24C  ResLeu:<5E6  Psoralen-treated	Not required	5 days	E8331V00		=<E8331V00
E8332	Apheresis PLATELETS  ACD-A/XX/20-24C  ResLeu:<5E6  1 <sup>st</sup> container  Psoralen-treated	Not required	5 days	E8332V00		=<E8332V00
E8333	Apheresis PLATELETS  ACD-A/XX/20-24C  ResLeu:<5E6  2 <sup>nd</sup> container   Proralen-treated	Not required	5 days	E8333V00		=<E8333V00
E8334	Apheresis PLATELETS  ACD-A/XX/20-24C  ResLeu:<5E6  3 <sup>rd</sup> container   Psoralen-treated	Not required	5 days	E8334V00		=<E8334V00
E8335	Apheresis PLATELETS  ACD-A/XX/20-24C  ResLeu:5E6  <3E11plts   Psoralen-treated	Not required	5 days	E8335V00		=<E8335V00
E8746	Apheresis PLATELETS  ACD-A/XX/20-24C  Irradiated   ResLeu:<5E6   Psoralen-treated	Not required	5 days	E8746V00		=<E8746V00
E8748	Apheresis PLATELETS  ACD-A/XX/20-24C  Irradiated   ResLeu:<5E6   1st container   Psoralen-treated	Not required	5 days	E8748V00		=<E8748V00
E8749	Apheresis PLATELETS  ACD-A/XX/20-24C  Irradiated   ResLeu:<5E6   2nd container   Psoralen-treated	Not required	5 days	E8749V00		=<E8749V00
E8750	Apheresis PLATELETS  ACD-A/XX/20-24C  Irradiated   ResLeu:<5E6   3rd container   Psoralen-treated	Not required	5 days	E8750V00		=<E8750V00
E8751	Apheresis PLATELETS  ACD-A/XX/20-24C  Irradiated   ResLeu:<5E6   Plasma reduced   Psoralen-treated	Not required	5 days	E8751V00		=<E8751V00
E8753	Apheresis PLATELETS  ACD-A/XX/20-24C  Irradiated   ResLeu:<5E6   Plasma reduced   1st container   Psoralen-treated	Not required	5 days	E8753V00		=<E8753V00
E8754	Apheresis PLATELETS  ACD-A/XX/20-24C  Irradiated   ResLeu:<5E6   Plasma reduced   2nd container   Psoralen-treated	Not required	5 days	E8754V00		=<E8754V00
E8755	Apheresis PLATELETS  ACD-A/XX/20-24C  Irradiated   ResLeu:<5E6   Plasma reduced   3rd container   Psoralen-treated	Not required	5 days	E8755V00		=<E8755V00
E8344	Apheresis PLATELETS  ACD-A>PAS-C/XX/20-24C  ResLeu:<5E6   Plasma reduced   <3E11 plts   Psoralen-treated	Not required	5 days	E8344V00		=<E8344V00
E8728	Apheresis PLATELETS  ACD-A>PAS-C/XX/20-24C  ResLeu:<5E6   Plasma reduced   Psoralen-treated	Not required	5 days	E8728V00		=<E8728V00

Code	Pathogen-Reduced Platelet Component Description	Bacterial Testing	Expiry	Product Code	Barcode	Barcode Value
E8729	Apheresis PLATELETS ACD-A>PAS-C/XX/20-24C ResLeu:<5E6 Plasma reduced 1st container Psoralen-treated	Not required	5 days	E8729V00		=<E8729V00
E8730	Apheresis PLATELETS ACD-A>PAS-C/XX/20-24C ResLeu:<5E6 Plasma reduced 2nd container Psoralen-treated	Not required	5 days	E8730V00		=<E8730V00
E8731	Apheresis PLATELETS ACD-A>PAS-C/XX/20-24C ResLeu:<5E6 Plasma reduced 3rd container Psoralen-treated	Not required	5 days	E8731V00		=<E8731V00
E8732	Apheresis PLATELETS ACD-A/XX/20-24C ResLeu:<5E6 Plasma reduced <3E11 plts Psoralen-treated	Not required	5 days	E8732V00		=<E8732V00
E8747	Apheresis PLATELETS ACD-A/XX/20-24C Irradiated ResLeu:<5E6 <3E11 plts Psoralen-treated	Not required	5 days	E8747V00		=<E8747V00
E8752	Apheresis PLATELETS ACD-A/XX/20-24C Irradiated ResLeu:<5E6 Plasma reduced <3E11 plts Psoralen-treated	Not required	5 days	E8752V00		=<E8752V00
E8942	Apheresis PLATELETS ACD-A>PAS-C/XX/20-24C Irradiated ResLeu:<5E6 Plasma reduced <3E11 plts Psoralen-treated	Not required	5 days	E8942V00		=<E8942V00
E8948	Apheresis PLATELETS ACD-A>PAS-C/XX/20-24C ResLeu:<5E6 Plasma reduced <3E11 plts Psoralen-treated	Not required	5 days	E8948V00		=<E8948V00
E8971	Apheresis PLATELETS ACD-A/XX/20-24C ResLeu:<5E6 1st container <3E11 plts Psoralen-treated	Not required	5 days	E8971V00		=<E8971V00
E8972	Apheresis PLATELETS ACD-A/XX/20-24C ResLeu:<5E6 2nd container <3E11 plts Psoralen-treated	Not required	5 days	E8972V00		=<E8972V00
E8973	Apheresis PLATELETS ACD-A/XX/20-24C ResLeu:<5E6 3rd container <3E11 plts Psoralen-treated	Not required	5 days	E8973V00		=<E8973V00
E9272	Apheresis PLATELETS ACD-A/XX/20-24C ResLeu:<5E6 Plasma reduced 1st container <3E11 plts Psoralen-treated	Not required	5 days	E9272V00		=<E9272V00
E9276	Apheresis PLATELETS ACD-A/XX/20-24C ResLeu:<5E6 Plasma reduced 2nd container <3E11 plts Psoralen-treated	Not required	5 days	E9276V00		=<E9276V00
E9630	Apheresis PLATELETS ACD-A/XX/20-24C Irradiated ResLeu:<5E6 1st container <3E11 plts Psoralen-treated	Not required	5 days	E9630V00		=<E9630V00
E9631	Apheresis PLATELETS ACD-A/XX/20-24C Irradiated ResLeu:<5E6 2nd container <3E11 plts Psoralen-treated	Not required	5 days	E9631V00		=<E9631V00
E9632	Apheresis PLATELETS ACD-A/XX/20-24C Irradiated ResLeu:<5E6 3rd container <3E11 plts Psoralen-treated	Not required	5 days	E9632V00		=<E9632V00

## Pooled Platelet Components

Code	Pooled Platelet Component Description	Bacterial Testing	Expiry	Product Code	Barcode	Barcode Value
EA045	POOLED PLATELETS   CPD/XX/20-24C   ResLeu:<5E6   Bacterial monitoring >=36h	LVDS	5 days	EA045V00		=<EA045V00
EA046	POOLED PLATELETS   CPD/XX/20-24C   ResLeu:<5E6   5 units   Bacterial monitoring >=36h	LVDS	5 days	EA046V00		=<EA046V00
EA047	POOLED PLATELETS   CP2D/XX/20-24C   ResLeu:<5E6   Bacterial monitoring >=36h	LVDS	5 days	EA047V00		=<EA047V00